## ST. MARY'S COUNTY PUBLIC SCHOOLS (SMCPS) INVITATION TO BID (ITB)

**BID TITLE: DEPARTMENT OF SAFETY AND SECURITY -INSTALLATION OF SECURITY WINDOW FILM BID NUMBER:** ITB #SMCPS-2022-SS-SWF **DEADLINE FOR QUESTIONS: DECEMBER 17, 2021** 1:00 P.M. LOCAL TIME CONTRACT PERIOD: ONE (1) YEAR, WITH OPTION TO RENEW FOR FOUR (4) **ADDITIONAL ONE (1) YEAR PERIODS BID OPENING DATE: JANUARY 6, 2022** TIME OF BID OPENING: 1:00 P.M. LOCAL TIME PLACE OF BID OPENING: \*\* THIS BID OPENING WILL TAKE PLACE REMOTELY. BIDDERS MAY OBSERVE THE OPENING OF BIDS ONLINE BY LOGGING IN TO A VIRTUAL MEETING HOSTED BY SMCPS AT THE TIME AND DATE OF THE BID OPENING. FOR DETAILS, PLEASE SEE SECTION II, "INFORMATION FOR BIDDERS." **BID MAILING ADDRESS:** \*\*ALL BIDS MUST BE SUBMITTED ELECTRONICALLY **USING THE EMARYLAND MARKETPLACE ADVANTAGE** WEBSITE. PLEASE SEE SECTION II, "INFORMATION FOR BIDDERS". PROCUREMENT COORDINATOR: **BRYNN COSNER EMAIL ADDRESS:** btcosner@smcps.org

WEBSITE:

procurement.maryland.gov

### TABLE OF CONTENTS ITB #SMCPS-2022-SS-SWF

l.	INTRODUCTION 3	
II.	INFORMATION FOR BIDDERS	
III.	INQUIRIES/COMMUNICATION	
IV.	GENERAL TERMS AND CONDITIONS	
٧.	INSURANCE REQUIREMENTS	
VI.	SPECIFICATIONS	
EXHIB	BIT A Specifications for 3M Safety and Security Window Film, Ultra S800	21
	BIT B Installation Instructions for 3M Impact Protection Adhesive Attachment System	
EXHIB	BIT C List of SMCPS School and Office Locations	27
	CHMENT 1 Contractor's Statement of Experience	
	CHMENT 2 Bid Submission Form	
ATTA	CHMENT 3A Business Relationship Affidavit	36
ATTA	CHMENT 3B Contractor/Subcontractor's Certification of Compliance with MD Sex Offender Law.	38
ATTA	CHMENT 4 Specifications, Pricing and Delivery Sheet	40
	CHMENT 5 References	
ATTA	CHMENT 6 Minority Business Enterprise Utilization Affidavit	43
	CHMENT 7 "No Bid" Reply Form	
	CHMENT 8 W-9	

I. <u>Introduction</u>

The Board of Education of St. Mary's County on behalf of St. Mary's County Public Schools (SMCPS) is requesting sealed bids from experienced and qualified Contractors to furnish and install security window

film to windows and doors at multiple SMCPS school and office locations.

II. Information for Bidders

A. ELECTRONIC BID SUBMISSION REQUIRED

All bids <u>must</u> be submitted electronically using the eMaryland Marketplace Advantage (eMMA) website.

**There is no exception**. Bids submitted in any other manner (mail, email, etc.) will not be considered. In order to submit a bid, vendors must register on the eMaryland Marketplace Advantage website. After registering,

vendors may then upload their bid response documents (in Word, PDF, etc.).

The following information is provided by eMaryland Marketplace to assist bidders:

**Tutorials:** 

**Vendor Training and Support** 

Quick Reference Guides:

eMMA Quick Reference Guides

eMMA Help Desk: emma.helpdesk@maryland.gov

All bids must be submitted electronically using the eMaryland Marketplace website on or before the bid opening date and time, which is January 6, 2022 at 1:00 p.m. local time. Contractors shall assume full

responsibility for timely delivery of the bid response to the location designated for receipt of bids. Bids

received after the time and date will be considered unresponsive.

If SMCPS offices are closed on the day a bid is "DUE", the bid will be due at the same time the next day that

the SMCPS offices are opened.

**B. ALTERNATIVE TO PUBLIC BID OPENING** 

A public bid opening will take place via Zoom. A Zoom meeting has been scheduled for the bid due date and

time (January 6, 2022 at 1:00 p.m. local time). SMCPS will access the sealed bids at this time and will read the bids aloud as part of the Zoom meeting. Vendors are invited to join this meeting (via video or conference call) if they wish to hear the bids read aloud. Details can be found below; if you would like to receive a

calendar invitation please contact <a href="mailto:btcosner@smcps.org">btcosner@smcps.org</a>. Participation in this Zoom meeting is **optional**.

December 2021

Brynn Cosner is inviting you to a scheduled Zoom meeting.

#### Join Zoom Meeting

https://smcps.zoom.us/j/98296637642?pwd=em1HVnViSkhCSFVzL0VycXk00Epodz09

Meeting ID: 982 9663 7642

Passcode: 404052 One tap mobile

- +13017158592,,98296637642#,,,,\*404052# US (Washington DC)
- +13126266799,,98296637642#,,,,\*404052# US (Chicago)

#### Dial by your location

- +1 301 715 8592 US (Washington DC)
- +1 312 626 6799 US (Chicago)
- +1 646 876 9923 US (New York)
- +1 346 248 7799 US (Houston)
- +1 669 900 6833 US (San Jose)
- +1 253 215 8782 US (Tacoma)

Meeting ID: 982 9663 7642

Passcode: 404052

Find your local number: <a href="https://smcps.zoom.us/u/ad3S8CZZzJ">https://smcps.zoom.us/u/ad3S8CZZzJ</a>

#### C. FORMATION OF THE CONTRACT

It is the intent of SMCPS that should this bid be accepted and awarded, the Contract will consist of the bid solicitation documents, any addenda/amendments, and the bidder's response to the bid solicitation, addendum/amendment documents, SMCPS written notice of award and subsequent purchase orders. The resulting contract shall be awarded for a period of one (1) year with the option to renew for four (4) additional one (1) year periods. Option year renewals will be initiated by the Procurement Coordinator. SMCPS reserves the right to cancel the contract, at its discretion, for any reason.

SMCPS reserves the right to award the requirements of this bid in total or in part as it determines to be in the best interest of SMCPS. SMCPS reserves the right to make multiple awards. Contract awards are subject to the availability of funding.

Minority Business Enterprises are encouraged to respond to this solicitation notice.

#### III. <u>Inquiries/Communication</u>

Prospective bidders may request that SMCPS clarify information contained in this bid. All such requests must be made in writing to Brynn Cosner, Procurement Coordinator. SMCPS will not respond to any requests for clarification received after **December 17, 2021 at 1:00 P.M. local time.** Questions may be sent via email to <a href="mailto:btcosner@smcps.org">btcosner@smcps.org</a>. An addendum will be issued if necessary to answer all questions. The addendum will be posted on <a href="mailto:procurement.maryland.gov">procurement.maryland.gov</a> under the applicable bid number and will be available at the SMCPS Purchasing Office.

#### IV. General Terms and Conditions

#### A. DISPUTES

The resulting Contract award from this ITB shall be subject to the provisions of Title 15, Subtitle 2 or the State Finance and Procurement Article of the Annotated Code of Maryland and COMAR 21.10 (Administrative and Civil Remedies). Pending resolution of a claim, the Contractor shall proceed diligently with the performance of the Contract in accordance with the decision of SMCPS.

#### B. GOVERNING LAW AND VENUE

The bid shall be construed in accordance with, and interpreted under, the Laws of the State of Maryland. Any lawsuit arising out of such a bid or resulting contract shall be filed in the appropriate State Court of competent jurisdiction located in St. Mary's County.

#### C. TERMINATION

#### a. DEFAULT

SMCPS may, by written notice of default to the contractor, terminate the whole or any part of the contract. If, after notice of termination of this contract under provision of this clause, it is determined for any reason that the Contractor was not in default under the provisions of the clause, or that the default was excusable under the provisions of the contract, the rights and obligations of the parties shall be the same as if the notice of termination had been issued pursuant to a termination for convenience.

#### b. CONVENIENCE

SMCPS may terminate the performance of work under any resulting contract in whole or in part when it is determined to be in the best interest of SMCPS, for any reason. Any such termination shall be effected by delivery to the Contractor of a Notice of Termination specifying the extent to which performance of the work is terminated and the date upon which such termination becomes effective. All finished or unfinished supplies and services provided by the contractor shall at the option of SMCPS, become the property of SMCPS. SMCPS shall pay the contractor fair and equitable compensation for satisfactory performance prior to receipt of Notice of Termination. Upon receipt of a Notice of Termination, the Contractor shall submit to the Purchasing Office his Termination Claim.

#### D. FORCE MAJEURE

The Contractor shall not be liable for any excess costs of failure to perform if the failure to perform this ITB/Contract arises from causes beyond the control and without the fault of negligence of the Contractor. Excusable causes include, but are not limited to, acts of God or of the public enemy and acts of the federal or state government in either their sovereign or contractual capacities.

#### E. ASSIGNMENT

The ITB/Contract shall not be assigned, sublet or transferred, in whole or in part, by operations of law or otherwise, by either of the parties hereto except with the prior written consent of the other. Unless specifically stated, no written consent to an assignment shall operate to release or discharge the assignor from any duty or responsibility under the ITB/Contract.

#### F. BID PROTEST PROCEDURES

A Contractor may protest an award. The protest shall be filed with the Purchasing Office by submitting a protest in writing to Brynn Cosner, Procurement Coordinator, by mail at 23160 Moakley Street, Suite 107, Leonardtown, Maryland 20650. The protest must be received by the close of business on the seventh (7<sup>th</sup>) business day after the award. Protests shall include the ITB number, the basis of the protest, the relief sought and whether the protester wishes to have a conference with respect to the protest.

#### G. INDEMNIFICATION

To the fullest extent permitted by law, Contractor agrees to defend, indemnify, pay on behalf of, and save harmless the Board of Education of St. Mary's County, its elected and appointed officials, agents, employees, and authorized volunteers against any and all claims, losses, damages, expenses, including attorneys' fees and all other costs connected therewith, cause of action or liability arising out of or connected to the supply, delivery or installation of any products or materials by Contractor under this Contract, provided that any such claim, loss, damage, expense, cause of action or liability is caused in whole or in part by any negligent act or omission of the Contractor or any of the Contractor's employees, agents, officials or volunteers or anyone for whose acts the Contractor may be liable, regardless of whether or not it is caused in part by a party indemnified hereunder. This obligation to indemnify, defend and hold Board of Education of St. Mary's County, its elected and appointed officials, agents, employees, and authorized volunteers harmless shall survive the termination of this Agreement.

#### H. COMPLIANCE WITH LAWS

The Contractor hereby represents and warrants that:

- a. It is qualified to do business in the State of Maryland and that it will take such action as, from time to time hereafter, may be necessary to remain so qualified;
- b. It is not in arrears with respect to the payment of any monies due and owing the State of Maryland, or any department or unit thereof, including but not limited to the payment of taxes and employee benefits, and that it shall not become so in arrears during the term of this contract;
- c. It shall comply with all federal, state and local laws, regulations and ordinances applicable to its activities and obligations under this contract; and

d. It shall obtain, at its expense, all licenses, permits, insurance and governmental approvals, if any, necessary to the performance of its obligations under this contract.

#### I. MARYLAND SEX OFFENDER LAW

Maryland Law requires certain child sex offenders to register with the State and with the local law enforcement agency in the county in which they will reside, work and/or attend school. Section 11-722(c) of the Criminal Procedure Article of the Annotated Code of Maryland states that "[a] person who enters into a contract with a county board of education or a nonpublic school may not knowingly employ an individual to work at a school if the individual is a registrant." Section 11-722(d) provides that "a person who violates this section is guilty of a misdemeanor and on conviction is subject to imprisonment not exceeding five years or a fine not exceeding \$5,000 or both." If a registered sex offender, as determined by the definition contained in the Criminal Procedures Article of the Annotated Code of Maryland, is employed by the Contractor, then the Contractor is prohibited from assigning that employee to perform management, delivery, installation, repair, construction, or any type of services on any Board property. Violation of this provision may result in Termination for Cause.

It shall be the responsibility of all Contractors submitting a bid or offer to SMCPS to comply with this provision. If a Contractor is found to have violated this provision subsequent to an award by SMCPS, the Contract may be immediately terminated at SMCPS' sole option, and that Contractor may be liable to SMCPS for all re-procurement cost and may be debarred from bidding future SMCPS requirements.

#### J. CHILD SEXUAL ABUSE/SEXUAL MISCONDUCT EMPLOYMENT HISTORY REVIEW

If the Contractor's employees will have "direct contact with minors" while providing the services called for under this Contract, Contractor acknowledges that it is a "contracting agency" for purposes of, and hereby certifies that it will fully comply with Section 6-113.2 of the Education Article of the Maryland Annotated Code (SB 541/HB 486-2019 Legislative Session), including, but not limited to the following requirements:

- Contractor shall conduct the required child sexual abuse/sexual misconduct employment history review, either at the time any employee is initially hired by the Contractor, or before they are assigned to work at SMCPS.
- Contractor shall maintain a record of the employment history review for any employee who is assigned to work at SMCPS.
- Contractor shall provide access to the record of the employment history review for any employee who is assigned to work at SMCPS upon request by SMCPS.
- If the Contractor receives any affirmative child sexual abuse/sexual misconduct-related responses from any employee's current or former employers, the Contractor shall obtain SMCPS' approval before assigning the employee to work at SMCPS; and
- Contractor may not assign any employee to work at SMCPS if SMCPS objects after receiving the foregoing notice.

As defined in Section 6-113.2 of the Education Article, "direct contact with minors" means the possibility of care, supervision, guidance or control of a minor or routine interaction with a minor.

#### K. EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS

SMCPS is in compliance with Executive Order 11246 entitled "Equal Employment Opportunity", as amended by Executive Order 11375, and as supplemented in Department of Labor regulations (41CFR part 60). The successful Contractor must also be in compliance with the Order as amended and supplemented.

SMCPS does not discriminate on the basis of race, color, religion, national origin, sex, age or disability in its programs, activities or employment practices. <u>All Contractors shall affirm that they do not discriminate with regard to individual political affiliation, religious beliefs, race, creed, national origin, sex, age or handicap in employment practices by so stating in the response to the bid.</u>

#### L. eMARYLAND MARKETPLACE ADVANTAGE (eMMA)

Maryland State Law requires SMCPS to publish notices of procurements and procurement awards on eMaryland Marketplace Advantage (eMMA). The requirement extends only to contracts procured through competitive sealed bidding, competitive sealed proposals and noncompetitive negotiations, and to procurements whose value equals or exceeds that for State contracts that must be published on eMMA. Vendors are encouraged to register as а Vendor with www.procurement.maryland.gov. The awarded Vendors must be registered with eMMA following notice of award. If you require assistance, contact the help desk at eMMA.helpdesk@maryland.gov.

#### M. MINORITY BUSINESS ENTERPRISES

Minority Business Enterprises (MBE) are encouraged to respond to this solicitation notice. Contractors who provide material, supplies, equipment and/or services under this Contract are encouraged to subcontract with Minority Business Enterprises.

#### N. PREPARATION AND SUBMISSION OF BIDS

Responsive bids shall be made in the formats set forth in this bid document and on the Contractor's Statement of Experience (Attachment 1) Bid Submission Signature Form (Attachment 2), Business Relationship Affidavit (Attachment 3a and 3b), Specifications, Pricing and Delivery Information Sheet (Attachment 4), References (Attachment 5), and Addenda, with all required supplementary documentation. Spaces left blank on Attachment 4 shall be deemed by SMCPS, in its sole discretion, to be not applicable or "no bid". All bids **must be submitted electronically** using the eMaryland Marketplace Advantage website. Bids shall not be withdrawn or altered for a period of ninety (90) days after the bid opening date.

#### O. ADDENDA TO THE ITB

If it becomes necessary to revise any part of the ITB, addenda will be issued. All bidders shall be responsible for acquiring addenda by contacting the SMCPS Purchasing Office or by downloading the addendum from <u>procurement.maryland.gov</u>. All addenda shall become a part of the Contract. Each bidder must acknowledge receipt of addenda. Acknowledgement shall consist of returning a signed copy of all addenda cover sheets as part of the bid submission by the stated date and time. All addenda responses must be received by the bid opening date.

#### P. BASIS OF PRICING

The prices offered for this project shall include all labor, supplies, materials, equipment, disposal and parts required to complete the installation in accordance with the specifications in Section VI and as listed on the "Specifications, Pricing and Delivery Information Sheet" (Attachment 4).

The prices must include any and all costs necessary to implement terms and conditions of the contract. No Contractor will be allowed to offer more than one price for each item or service even though the Contractor may feel that they have two or more choices that meet specifications. Contractors must determine for themselves which to offer. If the Contractor should submit more than one price on any item or service, all prices for that item or service will be rejected. Prices quoted shall not include Federal Excise or State Sales and Use Taxes, or any other taxes from which SMCPS is exempt. Exemption certificates will be furnished upon request.

#### Q. CANCELLATION OR REJECTION OF BIDS, AND WAIVER OF NONCONFORMITIES

SMCPS reserves the right, in the exercise of its sole discretion, to cancel this bid or reject all bids. SMCPS will notify all interested Contractors in writing in the event of such cancellation or rejection. SMCPS also reserves the right to waive any minor irregularity or nonconformity of any bid response to this ITB.

#### R. MODIFICATIONS/WITHDRAWAL OF BIDS

A Contractor may modify or withdraw a bid at any time prior to the bids due date and time. All modifications or withdrawals must be in writing, and must be executed by a person with authority to bind the Contractor.

#### S. DISCRETION IN DETERMINING DEVIATIONS AND COMPLIANCE

The Procurement Coordinator shall determine whether Contractors have met the mandatory requirements of this bid. The Procurement Coordinator has the sole authority to determine whether any deviation from the requirements of this bid is material in nature, and the Procurement Coordinator may reject non-conforming bids. In addition, the Procurement Coordinator may reject in whole or in part any and all bids and waive minor irregularities and may negotiate with all responsible Contractors in any manner deemed necessary to serve the best interests of the SMCPS.

#### T. MATERIALS SUBMITTED IN RESPONSE TO THIS BID

Any/all materials submitted in response to this ITB become the property of SMCPS. Any information considered to be proprietary or confidential should be so marked.

#### U. EXCEPTIONS

It shall be the responsibility of the Contractor to include with their bid a list and clarification of any deviations or qualifications from conditions and specifications. The list must be attached to the Bid Submission Signature Form (Attachment 1).

#### V. NO BID

If the Contractor elects to "No Bid" this ITB, a no bid should be filed with the SMCPS Purchasing Office (see form provided, Attachment 7).

#### W. EVALUATION OF BIDS

Bids will be evaluated based on a complete response, which shall include acknowledgement of all Addenda (if any issued); and all required attachments:

- Contractor's Statement of Experience (Attachment 1)
- Bid Submission Form (Attachment 2);
- Business Relationship Affidavit, and Certification of Compliance with Maryland Sex Offender Law including Contractors Response Form (Attachment 3A and 3B);
- Specifications, Pricing and Delivery Information Sheet (Attachment 4);
- Professional References (Attachment 5); and
- Minority Business Enterprise Utilization Affidavit (Attachment 6)

#### X. AWARD OR REJECTION OF BIDS

Award will be made to the **lowest responsive and responsible** bidder complying with all terms and conditions contained herein. SMCPS reserves the right to award the requirements of this bid in total or in part as is determines to be in the best interest of SMCPS. SMCPS reserves the right to make multiple awards.

SMCPS reserves the right to reject the bid of a Contractor who has, in the opinion of SMCPS, previously failed to perform properly on contracts of a similar nature, or the bid of a Contractor whom investigation shows is not in a position to fulfill the awarded contract.

#### Y. TIE BIDS

In the event of tie bids, where all other factors such as past performance on purchases/Contracts or Contractor service and delivery record are considered comparable, the award(s) shall be made to one of the tie bidders in the following order of preference: the St. Mary's County based Minority and/or Small Business Contractor, the St. Mary's County based Contractor, the out-of-county but Maryland based Minority and/or Small Business Contractor, the out of county but Maryland based business, the out-of-state based Minority and/or Small Business Contractor and the out-of-state based Contractor in that order of preference. In the event a tie bid still exists, the Procurement Coordinator or their designee shall conduct a coin toss for selection of the potential Award Bidder(s) or see a geographical, proportional or divided award of Contract whichever is in the best interest of the school system.

#### Z. CHANGES

<u>Change Orders</u>: SMCPS may order changes in the contract consisting of additions, deletions, or modifications, the contract sum and the time for performance being adjusted accordingly. Such changes

in the contract shall be authorized only by written Change Order issued by SMCPS. The contract sum and the time for performance shall be changed only by Change Order signed by SMCPS.

<u>Ordering Option</u>: When an ITB specifies a fixed quantity of Goods, the Contractor agrees to provide additional quantities in excess of those stated in the ITB at the same unit prices stated in the Contractor's Bid for a period of thirty (30) days after the Contract Award. The amount of any such additional quantities shall be added to the contract sum by Change Order.

#### AA. RIDER CLAUSE

Contractor is advised that in the awarded contract may be extended, with the authorization of the Contractor, to all State, county, local agencies, colleges and school districts in the State of Maryland. The Contractor must deal directly with each jurisdiction concerning, issuance of purchase orders, contractual disputes, invoicing and payment. SMCPS assumes no obligation on behalf of any of these organizations. Failure to extend a contract to any listed or unlisted jurisdiction will have no effect on the consideration of your bid response.

#### **BB. ERRORS IN BIDS/INTERPRETATION**

Contractors or their authorized representatives are expected to fully inform themselves as to the conditions and requirements of the specifications before submitting bids. Failure to do so will be at the Contractor's own risk. Should any Contractor be in doubt as to the meaning of the specifications, or should he/she find any discrepancy or omission, he/she shall notify the Procurement Coordinator. All bidders will then be notified, in writing, of clarification or additional information by means of addenda. If the bidder has made an error, the bidder may request in writing, to have his/her bid withdrawn. Approval of a bidder's request is not automatic and may be given only by the Procurement Coordinator and/or the Board. Requests for withdrawal can be denied, unless the bidder proves to the satisfaction of the Procurement Coordinator and/or the Board that the mistake was either a scrivener's error or another type of clearly unintentional error so departing from customary and reasonable business practices as to be obvious and to legitimately and substantially impair the Contractor's business. Neither law nor regulations make allowance for errors either of omission or commission on the part of the Contractor. In case of error in multiplication of unit price when arriving at total price per line item, the unit price shall govern. If there is a discrepancy between the price written in numbers and the price written in words, the words will govern.

#### V. Insurance Requirements

#### 1 – GENERAL INSURANCE REQUIREMENTS

1.1 - The Contractor shall not commence any supply, delivery or installation of any products or materials purchased by the Board of St. Mary's County Public Schools (the Board) under this Contract until the Contractor has obtained at the Contractor's own expense all of the insurance as required hereunder and such insurance has been approved by the Board; nor shall the Contractor allow any Subcontractor to commence work on any subcontract until all insurance required of the Subcontractor has been so obtained

and approved by the Contractor. Approval of insurance required of the Contractor will be granted only after submission to the Board of original certificates of insurance signed by authorized representatives of the insurers or, at the Board's request, certified copies of the required insurance policies.

- 1.2 Insurance as required hereunder shall be in force throughout the term of the Contract and, in accordance with 2.1.1.iii., for two years after final payment by the Board under this Contract. Original certificates signed by authorized representatives of the insurers or, at SMCPS' request, certified copies of insurance policies, evidencing that the required insurance is in effect, shall be maintained with the SMCPS Purchasing Office throughout the term of the Contract and for two years after final payment by the Board under this Contract.
- 1.3 The Contractor shall require all Subcontractors to maintain during the term of the Contract commercial general liability insurance, business auto liability insurance, workers' compensation and employers' liability insurance to the same extent required of the Contractor in 2.1.1, 2.1.2 and 2.1.3 unless any such requirement is expressly waived or amended by the Board in writing. If any Subcontractor is storing, transporting, and/or delivering the products or materials purchased by the Board under this Contract, the Contractor shall require such Subcontractor(s) to maintain during the term of the Contract transportation (cargo) insurance and employee dishonesty insurance to the same extent required of the Contractor in 3.1 and 3.2. The Contractor shall furnish Subcontractors' certificates of insurance to the SMCPS Purchasing Office immediately upon request.
- 1.4 All insurance policies required hereunder shall be endorsed to provide that the policy is not subject to cancellation or non-renewal until forty-five (45) days prior written notice has been given to the Board.
- 1.5 No acceptance and/or approval of any insurance by the Board shall be construed as relieving or excusing the Contractor from any liability or obligation imposed upon the Contractor by the provisions of this Contract.
- 1.6 If the Contractor does not meet the insurance requirements of this Contract, the Contractor shall forward a written request to the SMCPS Purchasing Office for a waiver in writing of the insurance requirement(s) not met or approval in writing of alternate insurance coverage, self-insurance, or group self-insurance arrangements. If the Board denies the request, the Contractor must comply with the insurance requirements as specified in this Contract.
- 1.7 All required insurance coverages must be underwritten by insurers allowed to do business in the State of Maryland and acceptable to the Board. The insurers must also have a policyholders' rating of "A-" or better, and a financial size of "Class VII" or better in the latest evaluation by A. M. Best Company, unless the Board grants specific approval for an exception.
- 1.8 Any deductibles or retentions in excess of \$10,000 shall be disclosed by the Contractor, and are subject to the Board's written approval. Any deductible or retention amounts elected by the Contractor or imposed by the Contractor's insurer(s) shall be the sole responsibility of the Contractor.

- 1.9 Any and all return premiums and/or dividends for insurance or coverage directly charged to the Board by the Contractor in connection with this Contract shall belong to and be payable to the Board.
- 1.10 If the Boad is damaged by the failure or neglect of the Contractor to purchase and maintain insurance as described and required herein, without so notifying the Board, then the Contractor shall bear all reasonable costs properly attributable thereto.

#### 2 - CONTRACTOR'S LIABILITY INSURANCE

- 2.1 The Contractor shall purchase and maintain the following insurance coverages at not less than the limits specified below or required by law, whichever is greater:
- 2.1.1 Commercial general liability insurance or its equivalent for bodily injury, personal injury and property damage including loss of use, with minimum limits of:

\$ 1,000,000	each occurrence;
\$ 1,000,000	personal and advertising injury;
\$ 2,000,000	general aggregate; and
\$ 2,000,000	products/completed operations aggregate.

This insurance shall include coverage for all of the following:

- i. Liability arising from premises and operations;
- ii. Liability arising from the actions of independent contractors;
- iii. Liability arising from products and completed operations with such coverage to be maintained for two years after final payment by SMCPS under this Contract; and
- iv. Contractual liability including protection for the Contractor from bodily injury and property damage claims arising out of liability assumed under this Contract.
- 2.1.2 Business auto liability insurance or its equivalent with a minimum limit of \$1,000,000 per accident and including coverage for all of the following:
  - i. Liability arising out of the ownership, maintenance or use of any auto (if no owned autos, then hired and non-owned autos only); and
  - ii. Automobile contractual liability.
- 2.1.3 <u>If the Contractor has any employees</u>, workers' compensation insurance or its equivalent with statutory benefits as required by any state or Federal law, including standard "other states" coverage; employers' liability insurance or its equivalent with minimum limits of:

\$ 500,000	each accident for bodily injury by accident;
\$ 500,000	each employee for bodily injury by disease; and

- \$ 500,000 policy limit for bodily injury by disease.
- 2.1.4 <u>If the Contractor is an individual or sole proprietor operating without workers' compensation coverage</u>, personal health insurance or its equivalent.
- 2.1.5 Umbrella excess liability or excess liability insurance or its equivalent with minimum limits of:

\$ 1,000,000 per occurrence;

\$ 1,000,000 aggregate for other than products/completed operations and auto liability; and

\$ 1,000,000 products/completed operations aggregate

and including all of the following coverages on the applicable schedule of underlying insurance:

- i. Commercial general liability;
- ii. Business auto liability; and
- iii. Employer's liability.
- 2.1.6 The Board of Education of St. Mary's County and its elected and appointed officials, officers, employees and authorized volunteers shall be named as additional insureds on the Contractor's commercial general liability insurance and umbrella excess or excess liability insurance policies with respect to liability caused, in whole or in part, by the Contractor's acts or omissions or the acts or omissions of those acting on the Contractor's behalf. The following wording must be incorporated into the Contractor's insurance policy certificate:

"The Board of Education of St. Mary's County and its elected and appointed officials, officers, employees and authorized volunteers are named as additional insureds with respect to liability arising out of the supply, delivery or installation of any products or materials or other services provided by the Named Insured under Contract ITB #SMCPS-2022-SS-SWF."

- 2.1.7 Insurance or self-insurance provided to the Board and its elected and appointed officials, officers, employees and authorized volunteers under any Contractor's liability insurance or self-insurance required herein, including, but not limited to, umbrella and excess liability or excess liability policies, shall apply separately to each insured against whom claim is made or suit is brought, except with respect to the limits of insurance or self-insurance. (Any cross suits or cross liability exclusion shall be deleted from Contractor's liability insurance policies required herein.)
- 2.1.8 Insurance or self-insurance provided to the Board and its elected and appointed officials, officers, employees and authorized volunteers as specified herein shall be primary, and any other insurance, self-insurance, coverage or indemnity available to the Board and its elected and appointed officials, officers, employees and authorized volunteers shall be excess of and non-contributory with insurance or self-insurance provided to the Board and its elected and appointed officials, officers, employees and authorized volunteers as specified herein.

- 2.2 If any liability insurance purchased by the Contractor has been issued on a "claims made" basis, the Contractor must comply with the following additional conditions:
  - i. The Contractor shall agree to provide certificates of insurance evidencing the above coverages for a period of two years after final payment by SMCPS under this Contract. Such certificates shall evidence a retroactive date no later than the inception date of this Contract; or
  - ii. The Contractor shall purchase an extended (minimum two years) reporting period endorsement for each such "claims made" policy in force as of the expiration or termination date of this Contract and evidence the purchase of this extended reporting period endorsement by means of a certificate of insurance or a copy of the endorsement itself. Such certificate or copy of the endorsement shall evidence a retroactive date no later than the inception date of this Contract.

#### 3 – CONTRACTOR'S PROPERTY INSURANCE

**<u>Note:</u>** The following is <u>not</u> required if ownership of the property transfers to SMCPS when products or materials are delivered to the Board or are otherwise placed in the Board's care, custody or control.

- 3.1 The Contractor (or Subcontractor) storing, transporting and/or delivering the products or materials purchased by the Board under this Contract shall purchase and maintain transportation (cargo) insurance on incoming goods in its care, custody or control, while such property is being loaded, is in transit, is being unloaded and until such time property is set at its final destination. Such insurance shall value incoming goods in transit at the amount of the selling invoice plus prepaid or advanced freight charges. Property not under invoice shall be valued at the cost to repair or replace the lost or damaged incoming goods. Such insurance shall be written at per conveyance and per occurrence limits equal to or in excess of the total selling price value of the largest shipment of incoming goods purchased under this Contract or at other limits acceptable to the Board.
- 3.2 The Contractor (or Subcontractor) storing, transporting and/or delivering the products or materials purchased by the Board under this Contract shall purchase and maintain blanket employee dishonesty insurance, which shall pay for loss of the products or materials purchased by the Board under this Contract when caused by the dishonest acts of the Contractor's (or Subcontractor's) employees, at a limit equal to or in excess of the total selling price value of the largest shipment of incoming goods purchased under this Contract or at another limit acceptable to the Board.
- 3.3 The Contractor (or Subcontractor) storing, transporting and/or delivering the products or materials purchased by the Board under this Contract shall be responsible for payment of any deductibles applicable under this transportation insurance, employee dishonesty insurance or other property insurance applicable to the incoming goods.

#### 4 - WAIVER OF SUBROGATION

To the fullest extent permitted by law, the Contractor and its invitees, employees, officials, volunteers, agents and representatives waive any right of recovery against the Board of Education of St. Mary's County and its elected and appointed officials, officers, volunteers, agents and employees for any and all claims, liability, loss, damage, costs or expense (including attorneys' fees) arising out of the supply, delivery or Installation of any products or materials provided by Contractor under this Contract. The Contractor shall advise its insurers of the foregoing.

5 - ACKNOWLEDGMENT OF CONTRACTOR'S INDEPENDENT CONTRACTOR STATUS AND NO COVERAGE FOR CONTRACTOR UNDER BOARD'S WORKERS' COMPENSATION COVERAGE

Contractor hereby acknowledges its status as an independent contractor while supplying, delivering or installing products or materials on behalf on the Board and that the Board's workers' compensation insurance, group self-insurance coverage or individual self-insurance is not intended to and will not respond to cover any medical or indemnity loss arising out of injury to the Contractor or its employees during the Contractor's provision of goods or services to the Board.

#### 6 - DAMAGE TO PROPERTY OF THE CONTRACTOR AND ITS INVITEES

To the fullest extent permitted by law, the Contractor shall be solely responsible for any loss or damage to property of the Contractor or its invitees, employees, officials, volunteers, agents and representatives while such property is on, at or adjacent to the premises of the Board.

#### VI. Specifications

#### A. GENERAL INFORMATION

The Board of Education of St. Mary's County on behalf of St. Mary's County Public Schools (SMCPS) is requesting sealed bids from experienced and qualified Contractors to furnish and install security window film to windows and doors at multiple SMCPS school and office locations. Scheduling of work will be coordinated and approved by the Department of Safety and Security.

The intent of these specifications is to provide complete information for all services required by Contractor if awarded a Contract for this bid opportunity. The Contractor shall identify any omissions, errors, conflicts, or discrepancies in the specifications and the Contractor shall immediately notify the SMCPS Procurement Coordinator in writing. Failure to provide such information may be cause for rejection from further consideration.

All Contractors shall comply with applicable Federal, State, and County Laws and Regulations. Contractors and/or their authorized representatives are encouraged to carefully read all of the pages of the bid document to fully inform themselves as to the terms, conditions, requirements, and specifications before

submitting bids; failure to do so will be at the Contractor's own risk and the Contractor cannot secure relief on the plea of error. Neither law nor regulations make allowance for errors of omission or commission on the part of the bidders.

SMCPS reserves the right to reject any or all bids and to award to other than the low bidder if deemed in the best interest of SMCPS.

Contractors and/or their authorized representatives are encouraged to carefully read all of the pages of the bid document to fully inform themselves as to the terms, conditions, requirements, and specifications before submitting bids; failure to do so will be at the Contractor's own risk and the Contractor cannot secure relief on the plea of error. Neither law nor regulations make allowance for errors of omission or commission on the part of the bidders.

#### B. PROJECT DESCRIPTION

- St. Mary's County Public Schools (SMCPS) is requesting sealed bids from experienced and qualified Contractors to furnish and install security window film to windows and doors at multiple SMCPS school and office locations. All work performed under this Project/Contract shall be coordinated, supervised, and monitored by the contractor.
- 1. The security window film to be installed is 3M Scotchshield™ Safety and Security Window Film, Ultra S800. Please see **Exhibit A** for full specifications.
- 2. The 3M Impact Protection Adhesive Attachment System shall be installed in conjunction with the security window film. See **Exhibit B** for full specifications.
- 3. Contractor must use painter's tape to protect all window/door coverings during the installation of the 3M Impact Protection Adhesive Attachment System.
- 4. **Exhibit C** lists the school and office locations that are included in the scope of this bid. Installation of security window film may be requested at any of these locations throughout the duration of the contract. SMCPS may add additional locations during the term of the contract.
- 5. The security film shall be installed at multiple windows, side lights and doors at each school or office and varies with each site.
- 6. There is a mixture of hollow metal and aluminum frames at each site.
- 7. Contractor must leave windows and doors clean and free of silicone residue.
- 8. Contractor must supply warranty for window film installed (see Attachment 4).

Work will be coordinated and scheduled with SMCPS Department of Safety and Security. The SMCPS calendar and school closing updates are available for view at www.smcps.org.

In some instances, SMCPS may require installation services when classes are not in session. Permitted working hours will vary by site and project and will be coordinated through the Department of Safety and Security. During the school year, some installation services may be required to be performed between 3:30 P.M. and 11:00 P.M. on weekdays, or, SMCPS may designate the work to be done on the weekends. Working Hours are those hours the employees are actually on-site working, excluding lunchtime and/or breaks.

Contractors are required to provide on the Specifications, Pricing and Delivery Information Sheet (Attachment 4) hourly labor rates for all trades for:

- 7:00 A.M. 3:30 P.M. Monday through Friday
- 3:30 P.M. 11:00 P.M. Monday through Friday and 7:00 A.M. 3:30 P.M. Saturday and Sunday (Shift Differential applies).

Overtime Rate is 1.5 times the Regular Hourly Labor Rate or the Shift Differential Hourly Labor Rate. Overtime will be paid for hours other than those specified in both rates.

NOTE: SMCPS does not pay any overtime rates unless prior authorization is received.

Vendor shall ensure that all employees report to the main office in school buildings daily to sign-in and sign-out while work is being performed.

#### C. GENERAL RESPONSIBILITIES OF CONTRACTOR

The Contractor shall provide all equipment/tools, materials, and laborers necessary to fully execute work specified in this contract. The contractor shall provide sufficient management, administration, supervision, and safety and quality controls to assure the safety, quality, completeness, and timely progress of the work. The Contractor shall remove all debris resulting from its operations. Contractor shall notify SMCPS prior to commencing work.

#### D. CONTRACTOR'S PERFORMANCE

- 1. The Contractor shall be responsible for complying with all applicable laws and regulations of authorities having jurisdiction while meeting project specifications and requirements.
- 2. The Contractor shall supervise, direct and be solely responsible for the work.
- 3. The Contractor shall be responsible to SMCPS for the acts and omissions of its employees, subcontractors and their agents and employees, and other persons performing any of the work.
- 4. The Contractor shall confine operations at the site to areas permitted by law, ordinances, permits and the contract documents, and shall not unreasonably encumber the site with any materials or equipment.
- 5. The Contractor shall perform all work in a workmanlike manner and in accordance with the requirements of the contract documents, including the furnishing of all materials, services, implements, machinery, equipment, tools, supplies, transportation, labor, and all other items necessary for the satisfactory performance and completion of the project in full compliance with the requirements of the contract documents.

#### E. SUBCONTRACTORS

A Subcontractor is a person or entity that has a direct contract with the Contractor to perform any of the Work at a SMCPS site.

Within ten (10) days after the Notice of Award, the Contractor shall submit to SMCPS the names of those Subcontractors the Contractor proposes to use, for acceptance by SMCPS. SMCPS reserves the right to accept or reject the use of any Subcontractor. The Contractor shall not employ any Subcontractor to whom SMCPS may have a reasonable objection. The Contractor shall not be required to contract with anyone to whom he has a reasonable objection. Contracts between the Contractor and the Subcontractors shall (1) require each Subcontractor, to the extent of the Work to be performed by the Subcontractor, to be bound to the Contractor by the terms of the Contract Documents, and to assume toward the Contractor all the obligations and responsibilities which the Vendor, by these Documents, assumes towards SMCPS, and (2) allow to the Subcontractor the benefit of all rights, remedies and redress afforded to the Contractor by these Contract Documents.

Contractor shall provide, upon request, a copy of all contracts executed between the Contractor and his Subcontractors/ Suppliers.

#### F. STANDARDS OF QUALITY - "OR EQUAL" INTERPRETATION

Manufacturer's names, trade names, brand names, model and catalog numbers used in these specifications are for the purpose of describing and establishing general quality levels. Such references are not intended to be restrictive. Bids will be considered for alternative brands that meet or exceed the quality of the specifications listed for any item. It is the bidder's responsibility to submit brand literature and/or samples to demonstrate the equivalency of the product offered.

Wherever the specifications indicate a product of a particular manufacturer, model or brand, and in the absence of any statement to the contrary by the Vendor, the bid shall be interpreted as being for the exact manufacturer, model, or brand specified, together with all accessories, qualities, etc., enumerated in the detailed specifications; therefore, the bidder shall furnish the item as specified.

In some cases, several items listed may be specified in a similar manner except for type construction, details, etc. SMCPS reserves the right to accept alternative bids for items that, in their opinion, offers the best feature of construction, quality, durability, performance, and economy.

#### G. ACCEPTANCE

All goods and services delivered under this ITB shall be subject to final inspection, test, and acceptance by SMCPS prior to any payment.

#### H. ACCEPTANCE OF DEFECTIVE OR NON CONFORMING PRODUCTS

SMCPS reserves the right to accept any defective product or service not in compliance with the specifications, provided, however, that in such event the price shall be reduced by an appropriate and equitable amount to account for such defect or non-compliance. Such adjustment shall be effected whether or not payment has been made.

#### I. REJECTION

SMCPS shall give notice of rejection of products or services delivered under this ITB within a reasonable time after receipt or acceptance of said items. Acceptance by SMCPS shall not waive any right SMCPS might otherwise have at law or by express reservation in this ITB with respect to any nonconformity.

#### J. WARRANTY

The Contractor warrants that the products furnished under this ITB will be free from defect not inherent in the quality required or permitted, and that the products will conform to the local, State, and federal requirements as specified in this ITB. Products not conforming to these requirements, including substitutions not properly approved and authorized, will be considered defective and shall be returned to the Contractor for refund/replacement at the expense of the Contractor. Warranty period shall be as specified by the shelf-life of the product.

#### K. CONTRACTOR'S INVOICE

The contractor shall submit an original and one (1) copy of their invoice upon completion to:

St. Mary's County Public Schools
Department of Safety and Security
23160 Moakley Street
Leonardtown, MD 20650

Invoices shall contain the minimum information as follows:

- a. Name of Contractor
- b. Contract Number
- c. Purchase Order Number
- d. Invoice Number
- e. Invoice Date
- f. Description of Work, including the site location(s)
- g. Item(s) Numbers
- h. Itemized material list, including quantity, rate, and handling fee
- i. Itemized labor, including hours and rate
- i. Total amount due

Invoices not containing the information above will be considered incomplete and possibly returned to the contractor for completion before payment is made.

Materials provided by the Contractor: During the course of the contract, the contractor may be requested to provide additional materials necessary for completion of tasks being performed. The contractor will be reimbursed by St. Mary's County Public Schools their cost of materials used.

Handling Fee: The handling fee will be added to the net cost for additional materials purchased and used by the contractor when submitted with receipt.

### **Specifications**

#### Specifications for 3M™ Scotchshield™ Safety and Security Window Film, Ultra S800

#### 1.0 Scope

This specification is for an optically clear glass shatter resistant and abrasion resistant window film which, when applied to the interior window surface, will help hold broken glass together and reduce the ultra-violet light that normally would enter through the window. This is an easily applied, tear-resistant safety and security window film for providing an increased measure of protection in a broad range of uses including basic glass fragment retention, spontaneous glass breakage, seismic preparedness, safety glazing, protection from windborne debris, bomb blast mitigation, and deterring Smash and Grab or Break and Entry events. Certain applications may require the film be used in conjunction with a film attachment system. The film shall be called 3M™ Scotchshield™ Safety and Security Window Film, Ultra S800.

#### 2.0 Applicable Documents

The publications listed below form a part of this specification to the extent referenced. The publications are referred to in the text by the basic designation only.

The 1985 American Society for Heating, Refrigeration, and Air Conditioning Engineers (ASHRAE) Handbook of Fundamentals.

The American National Standards Institute (ANSI).

ANSI Z97.1 Specification for Safety Glazing Material used in Buildings

The American Society for Testing and Materials (ASTM):

- ASTM E-308 Standard Recommended Practice for Spectrophotometry and Description of Color in CIE 1931 System
- ASTM E-903 Standard Methods of Test for Solar Absorbance, Reflectance and Transmittance of Materials Using Integrating Spheres
- ASTM D-882 Standard Test Method for Tensile Properties of Thin Plastic Sheeting
- ASTM D-1044 Standard Method of Test for Resistance of Transparent Plastics to Surface Abrasion (Taber Abrader Test)
- ASTM D-2582 Standard Test Method for Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting
- ASTM D-4830 Standard Test Methods for Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing.
- ASTM G-90 Standard Practice for Performing Accelerated Outdoor Weatherizing for Non-metallic Materials Using Concentrated Natural Sunlight
- ASTM G 26 Standard Practice for Performing Accelerated Outdoor Weatherizing for Non-metallic Materials Using Concentrated Natural Sunlight
- ASTM E-84 Standard Method of Test for Surface Burning Characteristics of Building Materials
- ASTM D-1004 Standard Method of Test for Resistance of Transparent Plastics to Tearing (Graves Tear Test)
- ASTM E-1886 Standard Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials
- ASTM E-1996 Standard Specification for Performance of Exterior Windows, Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes
- ASTM F-1642 Standard Method of Test for Glazing and Glazing Systems Subject to Airblast Loadings, as adapted by the U.S. Government GSA Test Standard Protocols
- ASTM F-2912 Standard Specification for Glazing and Glazing Systems Subjected to Airblast Loadings

The Consumer Products Safety Commission (CPSC) 16 CFR, Part 1201, Safety Standard for Architectural Glazing Material

GSA-TS01-2003 General Services Administration Standard Test for Glazing and Glazing Systems Subject to Airblast Loadings

Window 4.1. A Computer Tool for Analyzing Window Thermal Performance, Lawrence Berkeley Laboratory

#### 3.0 Requirements of the Film

3.1 **Film Material**: The film material shall consist of an optically clear polyester film, consisting of co-extruded micro-layers, with a durable acrylic abrasion resistant coating over one surface, and a UV stabilized pressure sensitive adhesive on the other. The film color is clear and will not contain dyed polyester. The film shall have a nominal thickness of 8 mils (0.008 inches). There shall be no evidence of coating voids. The film shall be identified as to Manufacturer of Origin (hereafter to be called Manufacturer).

#### Important:

The information provided in this report is believed to be reliable; however, due to the wide variety of intervening factors, 3M does not warrant that the results will necessarily be obtained. All details concerning product specifications and terms of sale are available from 3M. This product is not approved in the State of Florida for use as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm. In compliance with Florida Statute 553.842, this product may not be advertised, sold, offered, provided, distributed, or marketed in the State of Florida as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm.



3M is a trademark of 3M Company. © 3M 2014. All rights reserved.

# Specifications Ultra S800

#### 3.2 Film Properties (nominal):

a) Tensile Strength (ASTM D882):

Base Film: 32,000 psi (MD) / 32,000 psi (TD) Coated Film: 27,000 psi (MD) / 27,000 psi (TD)

b) Break Strength (ASTM D882):

Base Film: 190 lb/in (MD) / 190 lb/in (TD) Coated Film: 215 lb/in (MD) / 215 lb/in (TD)

c) Percent Elongation at Break (ASTM D882):

Base Film: 110 % (MD) / 100% (TD) Coated Film: 95 % (MD) / 95% (TD)

d) Yield Strength at 3% Elongation:

Base Film: 12,000 psi (MD) Coated Film: 15,000 psi (MD)

e) Percent Elongation at Yield (ASTM D882):

Base Film: 7% (MD)
Coated Film: 8% (MD)

f) Young's Modulus (ASTM D882):

Base Film: 550 kpsi (MD) / 600 kpsi (TD) Coated Film: 550 kpsi (MD) / 600 kpsi (TD)

g) Graves Tear Resistance (ASTM D1004):

Maximum Force (lbs):

Base Film: 40 (MD) / 40 (TD) Coated Film: 40 (MD) / 40 (TD)

Maximum Extension (in):

Base Film: 0.45 (MD) / 0.65 (TD) Coated Film: 0.50 (MD) / 0.57 (TD) Graves Area Tear Resistance (lbs%): Base Film: 1,100 (MD) / 1,300 (TD)

Coated Film: 1,100 (MD) / 1,300 (TD)

h) Puncture Propagation Tear Resistance (ASTM D2582):

Coated Film: 9 lbf (MD) / 10 lbf (TD)

- 3.3 Solar Performance Properties: film applied to 1/4" thick clear glass
  - a) Visible Light Transmission: 88%
  - b) Visible Reflection: not more than 9%
  - c) Ultraviolet Transmission: less than 1% (300 380 nm)
  - d) Solar Heat Gain Coefficient: 0.79
- 3.4 **Flammability**: The Manufacturer shall provide independent test data showing that the window film shall meet the requirements of a Class A Interior Finish for Building Materials for both Flame Spread Index and Smoked Development Values per ASTM E-84.
  - a) Flame Spread Index (FDI): 5
  - b) Smoke Developed Index (SDI): 25
- 3.5 **Abrasion Resistance**: The Manufacturer shall provide independent test data showing that the film shall have a surface coating that is resistant to abrasion such that, less than 5% increase of transmitted light haze will result in accordance with ASTM D-1044 using 100 cycles, 500 grams weight, and the CS10F Calibrase Wheel.

#### Important:

The information provided in this report is believed to be reliable; however, due to the wide variety of intervening factors, 3M does not warrant that the results will necessarily be obtained. All details concerning product specifications and terms of sale are available from 3M. This product is not approved in the State of Florida for use as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm. In compliance with Florida Statute 553.842, this product may not be advertised, sold, offered, provided, distributed, or marketed in the State of Florida as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm.



# Specifications Ultra S800

- 3.6 **Adhesion to Glass**: The Manufacturer shall provide independent test data showing that the film shall have a 90-degree peel strength (adhesion to glass) according to ASTM D-1044 of at least 6 lbs/in.
- 3.7 **Adhesive System**: The film shall be supplied with a high mass pressure sensitive weatherable acrylate adhesive applied uniformly over the surface opposite the abrasion resistant coated surface. The adhesive shall be essentially optically flat and shall meet the following criteria:
  - a. Viewing the film from a distance of ten feet at angles up to 45 degrees from either side of the glass, the film itself shall not appear distorted.
  - b. It shall not be necessary to seal around the edges of the applied film system with a lacquer or other substance in order to prevent moisture or free water from penetrating under the film system.
- 3.8 **Impact Resistance for Safety Glazing**: The Manufacturer shall provide independent test data showing that the film, when applied to either side of the window glass, shall meet the 400 ft-lb impact requirements of 16 CFR 1201 (Category 2) <u>and ANSI Z97.1 (Class A, Unlimited)</u>. Testing shall be done with film applied both on 1/8" and 1/4" annealed glass.
- 3.9 Windborne Debris Protection: The Manufacturer shall provide independent test data showing the following:
  - a. [reserved]
  - b. [reserved]
  - c. Film shall pass ASTM E330 at a design pressure of 100 psf with 3M Impact Protection Adhesive attachment system
- 3.10 **Bomb Blast Mitigation:** The Manufacturer shall provide independent test data showing the following:
  - a. GSA Rating of "2" (Minimal Hazard) / ASTM F1642 "Minimal Hazard" with blast pressure of 7 psi and 44 psi\*msec blast impulse, on 1/4" annealed single pane glass and 3M Impact Protection Profile Attachment system
  - b. GSA Rating of "2" (Minimal Hazard) / ASTM F1642 "Minimal Hazard" with blast pressure of 7 psi and 43 psi\*msec blast impulse, on 1/4" tempered single pane glass and 3M Impact Protection Profile Attachment system
  - c. GSA Rating of "2" (Minimal Hazard) / ASTM F1642 "Minimal Hazard" with blast pressure of 7 psi and 42 psi\*msec blast impulse, on 1/4" annealed single pane glass and 3M Impact Protection Adhesive Attachment system
  - d. GSA Rating of "2" (Minimal Hazard) / ASTM F1642 "No Hazard" with blast pressure of 7 psi and 42 psi\*msec blast impulse, on 1/4" tempered single pane glass and 3M Impact Protection Adhesive Attachment system
  - e. GSA Rating of "2" (Minimal Hazard) / ASTM F1642 "Minimal Hazard" with blast pressure of 9 psi and 60 psi\*msec blast impulse, on 1" annealed double pane glass and 3M Impact Protection Profile Attachment system
  - f. GSA Rating of "2" (Minimal Hazard) / ASTM F1642 "Minimal Hazard" with blast pressure of 10 psi and 89 psi\*msec blast impulse, on 1" annealed double pane glass and 3M Impact Protection Adhesive Attachment system

#### 4.0 Requirements of the Authorized Dealer/Applicator (ADA)

- 4.1 The ADA shall provide documentation that the ADA is authorized by the Manufacturer of the window film to install said window film as per the Manufacturer's specifications and in accordance with specific requests as to be determined and agreed to by the customer.
- 4.2 Authorization of dealership may be verified through the company's 3M ID Number.
- 4.3 The ADA will provide a commercial building reference list of ten (10) properties where the ADA has installed window film. This list will include the following information:
  - \* Name of building
  - \* The name and telephone number of a management contact
  - \* Type of glass
  - \* Type of film
  - \* Amount of film installed
  - \* Date of completion

#### Important:

The information provided in this report is believed to be reliable; however, due to the wide variety of intervening factors, 3M does not warrant that the results will necessarily be obtained. All details concerning product specifications and terms of sale are available from 3M. This product is not approved in the State of Florida for use as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm. In compliance with Florida Statute 553.842, this product may not be advertised, sold, offered, provided, distributed, or marketed in the State of Florida as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm.



### **Specifications** Ultra S800

#### 5.0 Requirements of the Manufacturer

- 5.1 The Manufacturer will ensure proper quality control during production, shipping and inventory, clearly identify and label each film core with the product designation and run number.
- 5.2 Materials shall be manufactured by:

3M Renewable Energy Division

3M Center, Building 235

St. Paul, MN 55144-1000

#### 6.0 Application

6.1 Examination: Examine glass surfaces to receive new film and verify that they are free from defects and imperfections, which will affect the final appearance. Correct all such deficiencies before starting film application.

#### 6.2 Preparation:

- The window and window framing will be cleaned thoroughly with a neutral cleaning solution. The inside surface of the window glass shall be scraped with stainless steel razor blades with clean, sharp edges to ensure the removal of any foreign contaminants without damages the glass
- Drop cloths or other absorbent material shall be placed on the window sill or sash to absorb moisture accumulation generated by the film application.
- 6.3 Installation: The film shall be applied as to the specifications of the Manufacturer by an ADA.
  - Materials will be delivered to the job site with the manufacturer's labels intact and legible.
  - To minimize waste, the film will be cut to specification utilizing a vertical dispenser designed for that purpose. Film edges shall be cut neatly and square at a uniform distance of 1/8" (3 mm) to 1/16" (1.6 mm) of the window-sealing device.
  - Film shall be wet-applied using clean water and slip solution to facilitate positioning of the film onto glass.
  - To ensure efficient removal of excess water from the underside of the film and to maximize bonding of the pressure sensitive adhesive, polyplastic bladed squeegees will be utilized.
  - Upon completion, the film may have a dimpled appearance from residual moisture. Said moisture shall, under reasonable weather conditions, dry flat with no moisture dimples within a period of 30 calendar days when viewed under normal viewing conditions.
  - After installation, any left over material will be removed and the work area will be returned to original condition. Use all necessary means to protect the film before, during and after the installation.

#### 7.0 Cleaning

The film may be washed using common window cleaning solutions, including ammonia solutions, 30 days after application. Abrasive type cleaning agents and bristle brushes, which could scratch the film, must not be used. Synthetic sponges or soft cloths are recommended.

#### 8.0 Warranty

- a) The application shall be warranted by the film manufacturer (3M) for a period of \_\_\_\_\_\_ years in that the film will maintain solar reflective properties without cracking, crazing, delaminating, peeling, or discoloration. In the event that the product is found to be defective under warranty, the film manufacturer (3M) will replace such quantity of the film proved to be defective, and will additionally provide the removal and reapplication labor free of charge.
- b) 8.2 The film manufacturer (3M) also warrants against glass failure due to thermal shock fracture of the glass window unit (maximum value \$500 per window) provided the film is applied to recommended types of glass and the failure occurs within sixty (60) months from the start of application. Any glass failure must be reviewed by the film manufacturer (3M) prior to replacement.

The information provided in this report is believed to be reliable; however, due to the wide variety of intervening factors, 3M does not warrant that the results will necessarily be obtained. All details concerning product specifications and terms of sale are available from 3M. This product is not approved in the State of Florida for use as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm. In compliance with Florida Statute 553.842, this product may not be advertised, sold, offered, provided, distributed, or marketed in the State of Florida as hurricane, windstorm, or impact protection from wind-borne debris from a hurricane or windstorm



## **3M**<sup>™</sup> Impact Protection Adhesive Attachment System Installation Instructions



3M™ Impact Protection Adhesive improves the overall performance of 3M Safety and Security Window Films. This unique window protection system combines the toughness of 3M's patented micro-layer safety film with 3M's world-class expertise in adhesives to help shield against impact energy from severe weather, earthquakes, bomb blasts or forced entry events. The 3M Impact Protection System also helps protect against personal injury from flying glass.

#### 3M Impact Protection Adhesive:

• Commercial and Residential Applications



The following procedure describes the materials and steps that are necessary to install the 3M™ Impact Protection Adhesive attachment system.

#### **Products Recommended:**

- 3M<sup>™</sup> Citrus Base Cleaner (3M I.D. No. 62-4615-4930-5)
- 3M<sup>™</sup> Adhesive Remover, Citrus Base (3M I.D. No. 62-4667-2925-8)
- 3M<sup>™</sup> Foaming Glass Cleaner (3M I.D. No. 70-0708-2870-5)
- 3M™ 0000, Super Fine Synthetic Steel Wool Pad
   (3M I.D. No. 70-0706-5285-7)
- 3M<sup>™</sup> Scotch<sup>™</sup> Safe Release<sup>™</sup> Masking Tape (3M I.D. No. 98-0701-1931-2)
- 3M<sup>™</sup> Scotch<sup>™</sup> Long Mask<sup>™</sup> Masking Tape (3M I.D. No. 98-0701-3183-8)
- 3M<sup>™</sup> Impact Protection Adhesive

#### **Window Preparation**

A thorough cleaning of the glazing and frame systems before applying film and attachment is required to remove all foreign matter and contaminants such as adhesives, grease, oil, dust, water, surface dirt, old sealant or glazing compounds by using 3M Citrus Base Cleaner, alcohol or commercial cleaning solution.

Detergent or soap and water treatments are not recommended for this step.

- Assess the type of glazing stop and with an Olfa knife, trim as much of the rubber as possible without disturbing the window seal or allowing the rubber to fall into the glazing channel.
- 2. Spray the glazing bead, glass and frame surface with an appropriate cleaning product and remove with a lint free cloth. Repeat If necessary to remove all foreign materials from the glass and inside window frame surfaces. If the area is particularly dirty, a light scrub with a 3M 0000 Super Fine Synthetic Steel Wool Pad is recommended to loosen contaminates. Finish with a final cleaning if needed.
- 3. Spray the glass with 3M Foaming Glass
  Cleaner or a soap and water solution. Flush
  the glazing bead to glass area starting at the
  top and working down to drain or remove any
  remaining contaminant from the area. Scrape
  the glass with a razor to remove all foreign
  matter. Thoroughly clean the glass a final
  time with soapy water and a window cleaning
  squeegee. Wipe around the glazing bead and
  frame area one final time to remove all of the
  soap and water solution.

#### Film Installation

- Apply the 3M™ Ultra Safety & Security
   Window Film to the glass, making sure that
   the film is installed as far into the glazing
   channel as possible. Cut film as you normally
   would around the remaining glazing bead.
   Remember to leave enough spacing
   between film and glazing bead to facilitate
   the removal of the slip solution.
- Squeegee the film to the glass by pressing firmly to remove as much of the slip solution as possible, especially at the edges of the film. Two "edge-drying" methods can be used before applying the Impact Protection attachment system.
  - A. The panels can be left for a few weeks to ensure proper drying of the film before the IPA system is applied.
  - -OR-
  - B. Using a hair dryer, gently heat and bump the edges of the film to hasten the removal and drying of the water from the edges.


    Make sure that all of the soap and water solution has been removed from the film/glass/glazing channel before applying the IPA attachment system.



#### Impact Protection Adhesive Installation

- Apply a 1" (25mm) strip of 3M<sup>™</sup> Scotch<sup>™</sup> Safe Release<sup>™</sup> White Masking Tape to the ultra film surface 3/8" (9mm) in from the edge of the film to all four sides.
- 2. Apply a 1" (25mm) strip of 3M Safe Release Blue Masking Tape to the window frame 3/8" (9mm) from the edge of the trimmed gasket. This will form a parallel sealant channel that will allow a uniform sealant bead to be applied to the glass/frame interface. **Note:** Use a clean drop cloth before proceeding to Step 3.
- 3. Apply a triangular bead of IPA Impact
  Protection Adhesive, and tool as needed
  to form an acceptable finish. Refer to
  Figure 1. Read and follow all product
  information and installation instructions
  provided by 3M Company. We recommend
  you start in a corner and apply the sealant
  bead out approximately 6". Then turn the
  gun and push the sealant bead to the next
  corner where the same method is repeated.
  Pushing the sealant bead will insure proper
  penetration and minimize the chances of
  air gaps in the bead. Pulling the gun can also
  be done if confident no air gaps are formed.
- 4. Smooth the sealant bead with an appropriate tool, if necessary, to give a finished look. Tooling should be completed in one continuous stroke immediately after adhesive application and before a skin forms.

Figure 1. 3M™ IPA System Typical Configuration




5. Carefully remove the two masking strips from the glass/frame immediately after tooling. Do not allow the excess adhesive to contact the film, frame or flooring surfaces. A light colored drop cloth is needed to protect the work area. Be careful not to step on adhesive and transfer it to surrounding surfaces.

**Note:** Should you get some of the adhesive on the surrounding surfaces, an application and gentle wipe with a 3M Citrus Based Cleaner is recommended.

Curing time for the IPA will vary depending on temperature and relative humidity. It is not recommended to clean the film/IPA system for at least 36 hours following the installation. Full curing/adhesion can take up to 7 days, depending on conditions.

Table 1

Property	Test Method Used	Units	3M IPA
Curing Time (25°C (77°F), 50% RH)		days	3-7
Full Adhesion		days	7-14
Tack-Free Time (25°C (77°F), 50% RH)	ASTM D5895	minutes	21
Flow, Sag or Slump		inches	0
Working Time (25°C (77°F), 50% RH)		minutes	10-20
Specific Gravity		n/a	1.403
VOC content		g/L	16
As Cured — After 21 Days at 25°C (77°F),	50% RH		
Ultimate Tensile Strength	ASTM D0412	psi (Mpa)	380 (2.62)
Ultimate Elongation	ASTM D0412	%	640
Durometer Hardness, Shore A	ASTM D2240	points	38-39
Tear Strength, Die B	ASTM D0624	ррі	72



Bomb Blast and Windstorm Testing results available upon request.

IMPORTANT NOTICE: 3M MAKES NO PERFORMANCE PROMISES OR OTHER REPRESENTATIONS ABOUT THE EFFECTIVENESS OF THE IPA ATTACHMENT SYSTEM FOR USE WITH 3M WINDOW FILM IN A PARTICULAR APPLICATION. All statements, technical information and recommendations contained in these IPA Attachment System installation instructions are based on tests believed to be reliable. However, many factors beyond the control of 3M can affect the use and performance of the 3M products in particular applications. Because these factors are uniquely within the user's knowledge and control, it is essential that the user evaluates and determines whether the 3M Ultra Safety & Security Window Film and/or 3M Impact Protection Adhesive Attachment System are appropriate for the particular application.



#### **Building and Commercial Services Division**

#### List of SMCPS School Locations

Benjamin Banneker Elementary School 27180 Point Lookout Road Loveville, MD 20656

Captain Walter Francis Duke Elementary School 23595 Hayden Farm Lane Leonardtown, MD 20650

Chesapeake Public Charter School 20945 Great Mills Rd. Lexington Park, MD 20653

Chopticon High School 25390 Colton Point Road Morganza, MD 20660

Dynard Elementary School 23510 Bushwood Road Chaptico, MD 20621

Esperanza Middle School 22790 Maple Road Lexington Park, MD 20653

Evergreen Elementary School 43765 Evergreen Way California, MD 20619

Fairlead Academy 24009 Point Lookout Rd. Leonardtown, MD 20650

George Washington Carver Elementary School 46155 Carver School Boulevard Great Mills, MD 206634

Great Mills High School 21130 Great Mills Road Great Mills, MD 20634

Green Holly Elementary School 46060 Millstone Landing Road Lexington Park, MD 20653 Greenview Knolls Elementary School 45711 Military Lane Great Mills, MD 20634

Hollywood Elementary School 44345 Joy Chapel Road Hollywood, MD 20636

James A. Forrest Career & Technology Center 24005 Point Lookout Rd Leonardtown, MD 20650

Leonardtown Elementary School 22885 Duke Street Leonardtown, MD 20650

Leonardtown High School 23995 Point Lookout Road Leonardtown, MD 20650

Leonardtown Middle School 24015 Point Lookout Road Leonardtown, MD 20650

Lettie Marshall Dent Elementary School 37840 New Market Turner Road Mechanicsville, MD 20659

Lexington Park Elementary School 20833 Great Mills Road Great Mills, MD 20634

Margaret Brent Middle School 29675 Point Lookout Road Helen, MD 20635

Mechanicsville Elementary School 28585 Three Notch Road Mechanicsville, MD 20659

Oakville Elementary School 26410 Three Notch Road Mechanicsville, MD 20659

**EXHIBIT C** 

Park Hall Elementary School 20343 Hermanville Road Park Hall, MD 20667

Piney Point Elementary School 44550 Tall Timbers Road Tall Timbers, Maryland 20690 Mechanicsville, MD 20659

Ridge Elementary School 49430 Airedale Road Ridge, MD 20680

Spring Ridge Middle School 19856 Three Notch Road Lexington Park, MD 20653

Town Creek Elementary School 45805 Dent Drive Lexington Park, MD 20653

Virtual Academy 20833 Great Mills Road Lexington Park, MD 20653

White Marsh Elementary School 29090 Thompson Corner Road Mechanicsville, MD 20659

#### BID SUBMISSION CHECKLIST

# ITB # SMCPS-2022-SS-SWF Department of Safety and Security Installation of Security Window Film

Before you seal your bid, please make sure you have included the following items: Attachment 1 - Contractor Statement of Experience Attachment 2 - Bid Submission Form Are there any deviations to this bid? If so, you must attach information to Attachment 2. Make sure you have completed all information and it is legible. Attachment 3A and 3B - Business Relationship Affidavit and Certification of Compliance with Maryland Sex Offender Law including Contractor Response Form Make sure you have completed all information and it is legible. Make sure the forms are signed by person duly authorized to represent the firm. Attachment 4 – Specifications, Pricing and Delivery Information Sheet Insert unit prices and extended prices. Do not make changes to the bid form. Make sure you have an authorized signature, title, and date. Attachment 5 - References Complete the form (even if you have been doing business with SMCPS for years this form is required). Make sure the references you give are for similar products/services that are in the bid you are responding to. Verify your contact names and telephone numbers before you submit the form. Attachment 6 – Minority Business Enterprise Utilization Affidavit Attachment 7 - No Bid Form (as applicable) Attachment 8 - W-9 Addenda if any issued. Must sign and return Acknowledgement of Receipt.

Other:

#### **CONTRACTOR'S STATEMENT OF EXPERIENCE**

#### **Installation of Security Window Film**

Each prospective bidder must submit this Contractor's Statement of Experience with all portions completed, including any required attachments.

this form is true and corr	ect and that this declaration was executed in	County <i>,</i>
, on	·	
	(Name and Title) printed or typed	
	(Signature)	
	(Firm Name)	
	(Address)	
	(City, State, Zip Code)	
	 (Telephone Number)	

Each prospective bidder must answer all of the following questions and provide all requested information, where applicable. Any prospective bidder failing to do so may be deemed to be not responsive with respect to this procurement at the sole discretion of St. Mary's County Public Schools. All information submitted for qualification evaluation will be considered official information acquired in confidence, and St. Mary's County Public Schools will maintain its confidentiality to the extent permitted by law. Any prospective bidder found to be not qualified as a result of the bidder's answers to this Contractor's Statement of Experience will receive written response with St. Mary's County Public Schools' decision. Prospective bidders found to be not qualified will be deemed "not responsible" and their bids will be ineligible. The decision of the Department of Safety and Security is final as to a determination of responsibility. The determination of responsibility pertains solely to this procurement, ITB-SMCPS-2022-SS-SWF.

L. Lice		
		or licenses does your firm hold in the State of Maryland?
Name	of licen	se holder exactly as on file:
icens	e classif	fication:
_icens	e code:	· <del></del>
_icens	e numb	er:
Date is	ssued: _	
expira	tion dat	re:
Has yo	our firm'	's license ever been suspended or revoked? YES NO
2. Exp	erience	installing window safety film
a.	-	our firm been in continuous operation for the last five years in the field of window safety stallation?
		YES NO
b.	workir	e the following information <b>two</b> projects. The projects must demonstrate the experience of ng in a school environment as a contractor performing similar duties and tasks as described specification/scope of work.
	Projec	t No. 1:
	1.	Project name and location:
		Describe the project:
	3.	Name and telephone number of contact:
	4.	Date contract was completed:
		Contract amount: \$
	6.	Contract time: days
	7.	Percentage of work subcontracted:%
	Projec	t No. 2:
	1.	Project name and location:
	2.	Describe the project:

	3.	Name and telephone number of contact:
	4.	Date contract was completed:
		Contract amount: \$
		Contract time: days
	7.	Percentage of work subcontracted:%
3. Sure	ety and	Insurance Information
a.		firm able to obtain performance and payments bonds up to a contract amount of 000 from a Surety registered in Maryland?
	YES	NO
	If yes,	please provide name, address, and telephone number of Surety office:
b.	Provid	e the following insurance information:
	Amou	nt of General Liability: Bodily Injury \$
		Property Damage: \$
	Provid	e Name, Contact, and Telephone Number of Insurance Agency:
4. Claiı	ms Hist	ory
a.	firm ag (Provid	e the following information on successful claims by an Owner against your firm or by your gainst an Owner since <b>January 1, 2014</b> . Include claims resolved by arbitration, or litigation. de a sheet for each claim.)  Project name and location:
	Τ.	

	2.	. Name and telephone number of owner:	
	3.	Contract amount: \$	
	4.	. Contract time:days	
	5.	. Nature of claim:	
	6.	. Amount of claim in money and time: \$,day	 /S
	7.	. Final resolution of claim for your firm: \$,,	ays
	8.	. Final resolution of claim against your firm: \$,,	days
5. Dis	qualifica	cation	
a.	-	our firm ever been formally barred from performing work for the State of Maryl ty agency in Maryland, or a school system in Maryland?	and, a
	YES	NO	
	If yes,	s, provide the following information for each such action:	
	1.	. Facility:	
	2.	. Project name:	
	3.	. Date of disqualification:	
	4.	. Duration of disqualification:	
		. Reason for disqualification:	
	_	g space is provided for further explanations of the answers to any questions ask Statement of Experience.	ed in this

 	 	_

#### **BID SUBMISSION FORM**

#### **SIGNATURE PAGE**

I/we understand that St. Mary's County Public Schools (SMCPS) reserves the right to reject any or all proposals and to award to other than the low Contractor if deemed in the best interest of the SMCPS.

I/we certify that this proposal is made without any previous understanding, agreement, or connection with any person, firm or corporation submitting a proposal for the same services and is in all respects, fair and without any collusion or fraud.

I/we certify that our company, its officers, directors, partners, or any employees have not been convicted of bribery, attempted bribery, or conspiracy to bribe.

In addition, that no member of the Board of Education of St. Mary's County, Administrative or Supervisory personnel or other employees of SMCPS has any interest in the bidding company except as follows:

		If yes, please attach to this page.
Name of Firm	 	-
Address	 	-
	 	-
	 	-
Telephone No.	 	-
Fax No.	 	-
Email Address	 	-
Signature	 	-
Name	 	-
Title		

#### **BUSINESS RELATIONSHIP AFFIDAVIT**

CONTRACTOR MUST COMPLETE AND SIGN THIS DOCUMENT AND RETURN TO THE SMCPS IN THE SAME SEALED ENVELOPE CONTAINING THE ITBFORM AND OTHER PERTINENT ITB INFORMATION

I HEREBY CERTIFY THAT I am (Title)	
and the duly authorized representative of the firm	
	_
whose address	
is	

and that I possess the legal authority to make these testimonies on behalf of myself and the firm for which I am acting.

#### NON-COLLUSION CERTIFICATION

Neither I, nor to the best of my knowledge, information and belief, the above firm nor any of its other representatives I here represent have agreed, conspired, connived, or colluded to produce a deceptive show of competition in the compilation of the ITB/RFP or offer being submitted herewith; not in any manner, directly, or indirectly, entered into any agreement, participated in any collusion to fix the ITB/RFP price, or price proposal of the bidder, or offer or herein, or any competitor, or otherwise taken any action in restraint of free competitive bidding in connection with the Contract for which the within bid/RFP or offer is submitted.

#### **ANTI-BRIBERY AFFIDAVIT**

Neither I, nor to the best of my knowledge, the above firm, nor any of its officers, directors, or partners, or any of its employees directly involved in obtaining contracts with the State of any county, bi-county, of multi-county agency, or subdivision of the State have been convicted of, or have pleaded nolo contendere to a charge of, or have during the course of an official investigation or other proceeding admitted in writing or under oath acts or omissions committed after July 1, 1977 which constitute bribery, attempted bribery, or conspiracy to bribe under the provisions of Article 27 of the Annotated Code of Maryland or under the laws of any state or federal government.

#### **CIVIL RIGHTS COMPLIANCE**

We fully comply with Title VI of the Civil Rights Act of 1964 (PL88-352).

In signing this document I represent that I have personal knowledge of all the matters and facts herein stated, and do solemnly declare and affirm under the penalties of perjury that the contents of this document are true and correct.

al knowledge of all the matters and facts herein stated, and f perjury that the contents of this document are true and
Signature
Printed or Typed Name

### CONTRACTOR/SUBCONTRACTOR'S CERTIFICATION OF COMPLIANCE WITH MARYLAND SEX OFFENDER LAW

#### **CONTRACTOR RESPONSE FORM**

Maryland law prohibits contractors from knowingly assigning a registered sex offender to work in a school. In addition, a contractor may not knowingly assign a member of its workforce to work on school premises with direct, unsupervised, and uncontrolled access to children, if the individual has been convicted of, or pled guilty or nolo contendere, to certain sexual offenses, child sexual abuse offenses, and crimes of violence.

Please check <u>one</u> of the following statements:
□ No individuals, employees or subcontractors will have direct, unsupervised or uncontrolled access children while performing work for St. Mary's County Public Schools (SMCPS).
OR
Individuals, employees or contractors may have direct, unsupervised or uncontrolled access to children while performing work for St. Mary's County Public Schools. The individuals named on the attached list have or will have undergone a criminal background check, including fingerprinting within the last 12 months.
Upon notice of award, the successful contractor shall be required to register all employees including subcontractor who perform work for St. Mary's County Public Schools, using the St. Mary's County Public Schools, Department Safety and Security Cognito Forms.
The contractor shall ensure that all employees report to the main office in school buildings daily to sign-in and sign-out while work is being performed.
Please acknowledge by signing below and returning as part of a responsive proposal.
SIGNATURE: DATE:
COMPANY NAME:

## SPECIFICATIONS, PRICING AND DELIVERY INFORMATION SHEET ITB # SMCPS-2022-SS-SWF – INSTALLATION OF SECURITY WINDOW FILM

<u>PURPOSE</u>: The Board of Education of St. Mary's County on behalf of St. Mary's County Public Schools (SMCPS) is requesting sealed bids from experienced and qualified Contractors to furnish and install security window film on windows and doors at multiple SMCPS school and office locations. SMCPS reserves the right to award the requirements of this bid in total or in part as is determined to be in the best interest of SMCPS. SMCPS reserves the right to make multiple awards. The resulting contract will be awarded for a period of one year with four (4) one-year options to renew.

Exhibit C of this bid document lists the school and office locations that are included in the scope of this bid. Installation of security window film may be requested at any of these locations throughout the duration of the contract. SMCPS may add additional facilities during the term of the contract.

**NOTES:** Contractor shall perform services as detailed in Section VI "Specifications." The total cost per square foot offered to perform these services shall include all labor, supplies, materials, equipment, disposal, and parts required to perform these services in accordance with the specifications.

#### **INSTALLATION OF SECURITY WINDOW FILM**

<u>Item</u>	<u>Description</u>	Total Cost per
Number		Square Foot
1	Furnish and install Security Window Film as specified in ITB #SMCPS-	
	2022-SS-SWF at a single location with total square feet of 0 to 500	
	sq. ft.	
2	Furnish and install Security Window Film as specified in ITB #SMCPS-	
	2022-SS-SWF at a single location with total square feet of 501 to	
	1,200 sq. ft.	
3	Furnish and install Security Window Film as specified in ITB #SMCPS-	
	2022-SS-SWF at a single location with total square feet of 1,201 to	
	2,600 sq. ft.	
4	Furnish and install Security Window Film as specified in ITB #SMCPS-	
	2022-SS-SWF at a single location with total square feet greater than	
	2,600 sq. ft.	

Please state warranty period for material to be installed: _	
Please state warranty period for material to be installed: _	

#### **Additional Work:**

Services, repairs, materials and/or parts performed and/or supplied outside the scope of work and Specifications must have the prior written approval of SMCPS to qualify as an extra cost item. The Contractor shall be paid only for work that is authorized and accepted by SMCPS as satisfactorily completed.

### \*\*Pricing sheet continues on next page\*\*

consecutive hours. The Regular Hourly Labor Rate and the Shift Differential Hourly Labor Rate are the rates bid and invoiced per person, per hour.

a. Regular Hourly Labor Rate: \_\_\_\_\_\_/hr

b. Shift Differential Hourly Labor Rate: \_\_\_\_\_/hr

c. Regular Hourly Labor Rate (Helper): \_\_\_\_/hr

d. Shift Differential Hourly Labor Rate (Helper): \_\_\_\_/hr

e. Mark-up % for additional materials required: \_\_\_\_\_\_%

Hourly rates offered by Contractor shall be fixed rates for service throughout the entire term of the contract.

Overtime Rate is 1.5 times the Regular Hourly Labor Rate or the Shift Differential Hourly Labor Rate. Overtime will be paid for hours other than those specified in both of these rates.

NOTE: SMCPS does not pay any overtime rates unless prior authorization is received.

Bid price shall be valid for ninety (90) days after bid opening date. All bids shall include F.O.B. destination.

Regular Hourly Labor Rate shall be in effect from 7:00 A.M. until 3:30 P.M. and a Shift Differential Hourly Labor Rate shall be in effect from 3:30 P.M. until 11:00 P.M., Monday through and including Friday and from 7:00 A.M. to 3:30 p.m. Saturday and Sunday. These rates are for any one (1) individual on site working eight (8) or less

#### **ATTACHMENT 5**

#### **REFERENCES**

ORGANIZATION NAME		
ADDRESS		
TELEPHONE NO.	EMAIL:	_
CONTACT PERSON		
DESCRIPTION OF WORK		
ORGANIZATION NAME		
ADDRESS		
TELEPHONE NO.	EMAIL:	
CONTACT PERSON		
DESCRIPTION OF WORK		
ORGANIZATION NAME		
ADDRESS		
TELEPHONE NO.	EMAIL:	
CONTACT PERSON		
DESCRIPTION OF WORK		

#### **ATTACHMENT 6**

#### MINORITY BUSINESS ENTERPRISE UTILIZATION AFFIDAVIT

Name of Bidder		Bid Title: Department of Safety and Security – Installation of Security Window Film		
Date:	Bid No. SMCPS-202	2-SS-SWF		
Please respond to the questions as follows:		Check One Yes No		
1. Minority Business Enterprise?				
2. If the response to Question 1 is "No Business Enterprises provided any s Any items associated with your res	services or supplied			
Note: If the response to Question 2 the response to Question 2 is "No", title.				
Name and Address of Minority Business Enterprise	Type of Service or Materials/Supplies	Agreed Price	Percent of Total Bid	
			_	
Total Bid \$ Total Minority Business Enterprise Percent of Total Minority Business		%		
Signature	Title		Date	

# ST. MARY'S COUNTY PUBLIC SCHOOLS Purchasing Office 23160 Moakley Street, Suite 107 Leonardtown, MD 20650

Bid Title: **Department of Safety and Security – Installation of Security Window Film** 

Bid No. SMCPS-2022-SS-SWF

#### NO BID REPLY FORM

Contract	tor Infor	rmation:	
	•	ny Name	
	Address		
	-	rte, Zip Code	
	Contact	Person	
	Phone		
	Fax		
	Email A	udress	
each firi	m that tion will	rchasing Office of St. Mary's County Public Schools in obtaining competition for bid has received an invitation to bid, but does not wish to bid, state their reason(s) not preclude receipt of future invitations to bid unless you request removal from the below. This form can be returned to the Purchasing Office by fax to 301-475-4228.	below. This
Contract	tor State	ement:	
	Unfortu	nately, we must offer a "No Bid" at this time because:	
		We are not able to participate in the bid process at this time. Please keep us on the list for notification of future opportunities.	oidder's
	2.	We do not sell the items(s)/service(s) requested in the specifications.	
	3.	We do not feel we can be competitive.	
	4.	Other:	

#### **ATTACHMENT 8**

CONTRACTOR: PLEASE SUBMIT A W-9 FORM IF YOU ARE A NEW CONTRACTOR TO SMCPS